

Brother QL-700 Direkt termisk

Description

Brother QL-700 - Label printer - thermal paper - Roll (6.2 cm) - 300 dpi - up to 150 mm/sec - USB

Features

Nem at opsætte

Tilslut QL-700 til din Windows-pc. Kør den indbyggede labelsoftware, design og print. Så enkelt er det.

Print labels i den størrelse, du har brug for

Fremstil labels fra 12,7 mm op til 1 meters længde, og afskær med den indbyggede automatiske kniv.

Op til 300 x 600 dpi printopløsning

Fremstil letlæselige labels med tydelig tekst og grafik i høj kvalitet.

Op til 93 labels/minut

Uanset om du printer én eller flere labels ad gangen, vil QL-700 have dem klar inden for få sekunder

Nemt at udskifte ruller

Hver rulle leveres på en spole, som er nem at sætte i printeren - hver gang.

USB-interface

Hurtig og let at opsætte og anvende. USB-kabel følger med QL-700 som standard.

Specifications

Product Description	Brother QL-700 - label printer - monochrome - direct thermal
Printer Type	Label printer - direct thermal - monochrome
Weight	1.12 kg
Max Media Size	Roll (6.2 cm)
Min Media Size (Custom)	12.7 mm
Max Media Size (Custom)	62 mm x 1000 mm
Print Speed	Up to 150 mm/secUp to 93 labels/min
Max Resolution (B&W)	300 dpi
Interface	USB
Barcodes	Code 39, UCC/EAN-128, NW-7, QR code, MaxiCode, EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E, Codabar, Code 128, Postnet, PDF417, Data Matrix, ITF, GS1 DataBar Omnidirectional, GS1 DataBar Stacked
Media Type	Continuous paper labels, die cut labels
Compatible	DK tape

Tapes	
Styles & Effects	Bold, vertical, shadow, italic, mirror, underline, shadow light
System Requirements	Microsoft Windows Vista / XP / 7, Apple MacOS X 10.4.11 - 10.7
Manufacturer Warranty	2 years warranty
Dimensions (WxDxH)	12.8 cm x 22.1 cm x 15.3 cm

Full specifications

General

Printer Type Label printer - direct thermal - monochrome

Printer

Print Speed Up to 150 mm/secUp to 93 labels/min

Connectivity Technology Wired

Interface USB

Max Resolution (B&W) 300 dpi

Styles & Effects Bold, vertical, shadow, italic, mirror, underline, shadow light

Auto Cutter Yes

Repeating Printing 9999 copies

Barcodes Code 39, UCC/EAN-128, NW-7, QR code, MaxiCode, EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E, Codabar, Code 128, Postnet, PDF417, Data Matrix, ITF, GS1 DataBar Omnidirectional, GS1 DataBar Stacked

Media Handling

Media Type Continuous paper labels, die cut labels

Compatible Tapes DK tape

Max Media Size Roll (6.2 cm)

Min Media Size (Custom) 12.7 mm

Max Media Size (Custom) 62 mm x 1000 mm

Media Sizes Roll (6.2 cm)

Max Printing Width 59 mm

Expansion / Connectivity

Connections 1 x USB - 4 pin USB Type B

Miscellaneous

Cables Included	1 x USB cable
-----------------	---------------

Media Included	1 62 mm x 8 m label tape cassette, 1 roll of 100 address labels
----------------	---

Software / System Requirements

Software Included	Drivers & Utilities, P-touch Editor 5.0 for Mac OS, P-touch Editor 5.0 for Windows
-------------------	--

OS Required	Microsoft Windows Vista / XP / 7, Apple MacOSX 10.4.11 - 10.7
-------------	---

System Requirements Details	Windows XP/Vista/7 - HD 100 MB MacOSX 10.4.11 - 10.7 - HD 100 MB
-----------------------------	--

Manufacturer Warranty

Service & Support	Limited warranty - 2 years
-------------------	----------------------------

Dimensions & Weight

Width	12.8 cm
-------	---------

Depth	22.1 cm
-------	---------

Height	15.3 cm
--------	---------

Weight	1.12 kg
--------	---------